




NUVO

UNIT DIMENSIONS










UNIT	Α	В	С	D	Е
NV\$1200	1208	1040	327	314	1140
NVS1800	1808	1040	327	314	1740
F	G	Η		J	K
34	434	70	339	215	604
34	434	70	339	215	904
L	М	Z	0	Р	Ø
384	148	2 <i>7</i> 0	220	25	990
684	148	<i>57</i> 0	220	25	990

MINIMUM FRAME OUT DIMENSIONS (THREE SIDED)









ĺ	Note 617mm / 334mm / 90mm
	Allows for 10mm cladding to finish flush with
	appliance trims. Where thicker cladding
	is being used these dimensions will need
	to change- Eg. For 20mm cladding use
	607mm / 354mm / 80mm

UNIT	Α	В	С	D	Е	F	G	Н	1
NVS1200	320	1050	1220	228	1350	288	300	50	438
NVS 1800	320	1050	1820	288	1350	288	300	50	438
J	K	L	М	Z	0	Р	R	S	Т
313	50	965	235	48	<i>7</i> 0	300	90	334	617

Note- These dimensions are for 3 sided viewing configuration only. Please refer to the IOM for updated dimensions and drawings on all configurations.







MEDIA BED OPTIONS







Nordic Pine



Redgum and Coals



River Gorge



Tasman Shoreline

DISPLAY CONFIGURATION



1 sided Glass front, 2 solid sides.




2 sided Glass front & left hand side, solid right hand side / Glass front & right hand side, solid left hand side.




3 sided Glass front & sides.


Appliance Type	Room Sealed Decorative Gas Fireplace							
Gas Type	Natural Gas	LPG	ULPG					
Gas Input - NVS 1200	27 High/21 Low	27 High/22 Low	21.5 High/18.5 Low					
Gas Input - NVS 1800	35 High/29 Low	35 High/29 Low	28 High/23 Low					

PURE VISION






CLEARANCE TO COMBUSTIBLES



UNIT	A	В	С	D	E	F	G	н	ı	J	K	L	М	NG Mj/h	LPG or ULPG Mj/h	GPO REQ'D	VENTILATION
1000	1020	1150	475	920	1100	450	250	300	25	100	25	400	170	39	34	YES	50000mm2
1500	1100	1650	475	1000	1600	450	300	350	25	100	25	330	170	55	48	YES	72000mm2





New application


Power Flue


Natural Gas, LPG and ULPG

Glass back option


Coals, Forest Floor, Redgum & coals and Pebbles.


SIMPLICITY







1000, 1500





CLEARANCE TO COMBUSTIBLES







UNIT	A	В	С	D	E	F	G	н	1	J	K	L	М	NG Mj/h	LPG or ULPG Mj/h	GPO REQ'D	VENTILATION
1000	1020	1000	475	920	950	450	250	300	25	100	25	400	170	37	33	YES	50000mm2
1500	1020	1150	475	920	1100	450	300	350	25	100	25	400	170	39	34	YES	72000mm ²

HYBRID


Plaster







Note: Shown above is a Hybrid right handed. A left handed Hybrid will have glass on the left side.

CLEARANCE TO COMBUSTIBLES






UNIT	А	В	С	D	Е	F	G	Н	1	J	K	NG Mj/h	LP or ULPG Mj/h	VENTILATION
1000	1020	1150	475	920	1100	450	250	300	25	100	25	39	34	50000mm2
1500	1100	1650	475	1000	1600	450	300	350	25	100	25	49	49	72000mm2







MAGIGLO










* Detachable skirt when using a pebble tray or pedestal and base



UNIT	A	В	С	NG Mj/h	LPG or ULPG Mj/h
320	185	320	150	23	20
360	185	360	150	26	21
400	185	400	210	28	21
540	185	540	210	37	33
750	185	<i>7</i> 50	210	39	34


All dimensions in mm.


Note: The room in which the gas fire is located must have a minimum ventilation opening of $40,000 \, \text{mm}^2$


* When using a pebble tray or pedestal and base only.

WONDERFIRE









Firebox size 462(w) x 240(d) x 320(h)
Heating style Radiant / Convection
Gas Natural Gas Only

Input 32 Mj/hr

Burner Options Available as Electronic Burner only or with a fan forced box.

Media Coals only

Accessories Edwardian and Victorian mantle finish options.

Flueing Optional 2.4mtr long 150mm flex flue liner available for installs into an existing fireplace.

Optional 3.6mtr long flue kit with cowl available for new builds.





Glen Dimplex Australia Pty Ltd 8 Lakeview Drive, Scoresby, VIC 3179 T 1300 554 155 E flame@glendimplex.com.au



Glen Dimplex New Zealand Ltd PO Box 58473, Botany, Auckland T 0800 666 2824 E info@realflame.co.nz



Real Flame is a registered trademark of Glen Dimplex Australia Pty Ltd, all rights reserved.

Please refer to the Real Flame manuals for latest specs and up to date installation information. RF_DECORATIVE GAS 23

Authorised Real Flame Dealer

realflame.com.au | realflame.co.nz